

FORM 1449
INFORMATION DISCLOSURE STATEMENT
BY APPLICANT

Docket: 4239-50420

Ser: 09/125 635

Applicant: Meltzer et al.

Filed: herewith

Group: 1646

U.S. PATENT DOCUMENTS

Init*	Number	Date	Name	Class	Sub	Filed
M/B	5,028,525	7/2/1991	Gray et al.	435	6	6/26/90
	5,447,841	9/5/1995	Gray et al.	435	6	12/14/90
	5,472,842	12/5/1995	Stokke et al.	435	6	10/6/93
	5,506,102	4/9/1996	McDonnell	435	6	10/28/93
	5,639,592	6/17/1997	Evans et al.	435	4	5/3/94
	5,716,595	2/10/1998	Goldenberg	414	1-49	8/22/94

FOREIGN PATENT DOCUMENTS

Number	Date	Country	Class	Sub
WO 97/10337	3/20/1997	PCT WO	—	—
WO 97/35195	9/25/1997	PCT WO	—	—

OTHER DOCUMENTS

✓	Anzick et al., AIB1, a Steroid Receptor Coactivator Amplified in Breast and Ovarian Cancer, <i>Science</i> 277:965-968 (1997).
✓	Brünnner et al., Acquisition of Hormone-Independent Growth in MCF-7 Cells Is Accompanied by Increased Expression of Estrogen-Regulated Genes but Without Detectable DNA Amplifications, <i>Cancer Research</i> 53:283-290 (1993).
✓	Chen et al., Nuclear Receptor Coactivator ACTR Is a Novel Histone Acetyltransferase and Forms a Multimeric Activation Complex with P/CAF and CBP/p300, <i>Cell</i> 90:569-580 (1997).
✓	Courjal et al., Mapping of DNA Amplifications at 15 Chromosomal Localizations in 1875 Breast Tumors: Definition of Phenotypic Groups, <i>Cancer Research</i> 57:4360-4367 (1997).
✓	Ding et al., Nuclear Receptor-Binding Sites of Coactivators Glucocorticoid Receptor Interacting Protein 1 (GRIP1) and Steroid Receptor Coactivator 1 (SRC-1): Multiple Motifs with Different Binding Specificities, <i>Molecular Endocrinology</i> 12:302-313 (1998).
✓	Guan et al., Identification of Cryptic Sites of DNA Sequence Amplification in Human Breast Cancer by Chromosome Microdissection, <i>Nature Genetics</i> 8:155-161 (1994).

FORM 1449 INFORMATION DISCLOSURE STATEMENT BY APPLICANT		Docket: 4239-50420	Ser: 09/125,635
		Applicant: Meltzer et al.	
		Filed: herewith	Group: 1646
NYS		Guan et al., Hybrid Selection of Transcribed Sequences from Microdissected DNA: Isolation of Genes Within an Amplified Region at 20q11-q13.2 in <i>Breast Cancer</i> , <i>Cancer Research</i> 56:3446-3450 (1996).	
		Ito et al., Steroidogenic Factor-1 Contains a Carboxy-Terminal Transcriptional Activation Domain That Interacts with Steroid Receptor Coactivator-1, <i>Molecular Endocrinology</i> 12:290-301 (1998).	
		Kalkhoven et al., Isoforms of Steroid Receptor Co-activator 1 Differ in Their Ability to Potentiate Transcription by the Estrogen Receptor, <i>The EMBO Journal</i> 17:232-243 (1998).	
		Kallioniemi et al., Detection and Mapping of Amplified DNA Sequences in Breast Cancer by Comparative Genomic Hybridization, <i>Proc. Natl. Acad. Sci. USA</i> 91:2156-2160 (1994).	
		Kliwer et al., An Orphan Nuclear Receptor Activated by Pregnanes Defines a Novel Steroid Signaling Pathway, <i>Cell</i> 92:73-82 (1998).	
		Kraus, W.L. and Kadonaga, J.T., p300 and Estrogen Receptor Cooperatively Activate Transcription Via Differential Enhancement of Initiation and Reinitiation, <i>Genes & Development</i> 12:331-342 (1998).	
		Li, H. and Chen, J.D., The Receptor-Associated Coactivator 3 Activates Transcription Through CREB-Binding Protein Recruitment and Autoregulation, <i>The Journal of Biological Chemistry</i> 273:5948-5954 (1998).	
		Li et al., RAC3, a Steroid/Nuclear Receptor-Associated Coactivator That Is Related to SRC-1 and TIF2, <i>Proc. Natl. Acad. Sci. USA</i> 94:8479-8484 (1997).	
		Onate et al., Sequence and Characterization of a Coactivator of the Steroid Hormone Receptor Superfamily, <i>Science</i> 270:1354-1357 (1995).	
		Sluyser M., Role of Estrogen Receptor Variants in the Development of Hormone Resistance in Breast Cancer, <i>Clinical Biochemistry</i> 25:407-414 (1992).	
		Takeshita et al., TRAM-1, a Novel 160-kDa Thyroid Hormone Receptor Activator Molecule, Exhibits Distinct Properties from Steroid Receptor Coactivator-1, <i>The Journal of Biological Chemistry</i> 272:27629-27634 (1997).	
		Tanner et al., Amplification of Chromosomal Region 20q13 in Invasive Breast Cancer: Prognostic Implications, <i>Clinical Cancer Research</i> 1:1455-1461 (1995).	
		Torchia et al., The Transcriptional Co-activator p/CIP Binds CBP and Mediates Nuclear-Receptor Function, <i>Nature</i> 387:677-684 (1997).	

FORM 1449 INFORMATION DISCLOSURE STATEMENT BY APPLICANT		Docket: 4239-50420	Ser: 09/125,635
		Applicant: Meltzer et al.	
		Filed: herewith	Group: 1646
NJB		Tremblay et al., Ligand-Independent Activation of the Estrogen Receptors α and β by Mutations of a Conserved Tyrosine Can Be Abolished by Antiestrogens, <i>Cancer Research</i> 58:877-881 (1998).	
		Voegel et al., TIF2, a 160 kDa Transcriptional Mediator for the Ligand-Dependent Activation Function AF-2 of Nuclear Receptors, <i>The EMBO Journal</i> 15:3667-3675 (1996).	
		Xu et al., Partial Hormone Resistance in Mice with Disruption of the Steroid Receptor Coactivator-1 (SRC-1) Gene, <i>Science</i> 279:1922-1925 (1998).	
		Yeh, S. and Chang, C., Cloning and Characterization of a Specific Coactivator, ARA ₇₀ , for the Androgen Receptor in Human Prostate Cells, <i>Proc. Natl. Acad. Sci. USA</i> 93:5517-5521 (1996).	
Examiner:	Nirmal S. Ban		Date: 12/28/00
*Examiner: Initial if considered, whether or not in conformance with MPEP 60; draw line through cite if not in conformance and not considered. Send copy.			